



47/48 – MEDIUM HEAVY DUTY KINGPINLESS SERIES – 2,000 LB



- ASTM1045 steel hot forged and precisely machined raceway
- Hardened raceway for maximum of load capacity and life
- Optional extended swivel lead and overall heights are available
- Zinc-plated finish
- 1/2" axle

| OTHER OPTIONS | | | |
|---------------------|-------------------|-----------|---|
| | | | |
| 4-Position Lock (P) | Thread Guards (G) | Toe Guard | 4-Position Lock Bolt-on. Order Separately Part # 4PSL27 |

| FASTENING PATTERN | | | |
|-------------------|---------------|--|--------------------|
| Plate Code | Overall Size | Bolt Hole Pattern | Mounting Bolt size |
| 19 | 4-1/2 X 6-1/4 | 2-7/16 X 4-15/16 SLOTTED TO 3-3/8 X 5-1/4 | 1/2 |

| BRAKE OPTIONS | | |
|--------------------|-----------------|--------------------|
| | | |
| Top Lock Brake (T) | A-Cam Brake (A) | Cam-Lock Brake (C) |

| WHEEL DIAMETER, OVER HEIGHTS, OFFSETS AND SWIVEL RADIUS | | | | |
|--|------------------|----------------|--------|---------------|
| <i>To order optional overall height, replace the standard wheel diameter designation with optional code. (Example: 47HU81JI6319YY)</i> | | | | |
| Wheel Diameter | Designation Code | Overall Height | Offset | Swivel Radius |
| 4 | 40 | 5-5/8 | 1-1/4 | 3-1/4 |
| 5 | 50 | 6-1/2 | 1-7/16 | 3-15/16 |
| 6 | 60 | 7-1/2 | 1-9/16 | 4-9/16 |
| 8 | 80 | 10-1/8 | 2-3/4 | 6-3/4 |
| 8 | 81 | 9-1/2 | 2-1/4 | 6-1/4 |

47/48 – MEDIUM HEAVY DUTY KINGPINLESS SERIES – 2,000 LB

| Wheel Dia. | Tread Width | Wheel Type | Load Cap. | When multiple bearing choices exist, replace ## with desired bearing code. | | | | | + Color |
|------------|-------------|---------------------------|-----------|--|-------------------------|--------------------|---------------------------------------|--|------------|
| | | | | 47 Series Swivel Caster Part # To order rigid casters, change part # prefix 47 to 48. | | | | | |
| | | | | Roller Bearing 04 | Caged Roller Bearing 09 | Tapered Bearing 73 | Sealed Precision BB 48, 63, 63, H7960 | Delrin Bronze & Plain 11, 12, 56, 57, 88, 96, B1, B5 | |
| 4 | 2 | YOKE ONLY | | 47ZZ40JZ8319YY | | | | | |
| | | NEO-ENERGIZER™ | 500 | 47EN40JB0419YY | 47EN40JB0919YY | | 47EN40JB6019YY | | |
| | | NOMADIC™ | 400 | 47NM40J+0419YY | 47NM40J+0919YY | | 47NM40J+4819YY | | I, B |
| | | RUBBER ON NYLON | 400 | 47NR40JB0419YY | 47NR40J0919YY | | 47NR4JB4819YY | 47NR40JB##19YY | |
| | | RUBBER ON ALUMINUM | 400 | 47RA40JB0419YY | 47RA40JB0919YY | | | 47RA40JB##19YY | |
| | | LOW PROFILE RUBBER | 300 | 47LP40JB0419YY | 47LP40JB0919YY | | | | |
| | | MOLD-ON RUBBER | 400 | 47RS40JB0419YY | 47RS40JB0919YY | | | | |
| | | THERMO-PRO™ | 300 | 47TP40J+0419YY | 47TP40J+0919YY | | 47TP40JI4819YY | | |
| | | POLYOLEFIN | 500 | 47PO40JB0419YY | 47PO40JB0919YY | | 47TP40J+4819YY | 47TP40J+##19YY | I, T, X, Y |
| | | NYLON | 800 | 47NY40JE0419YY | 47NY40JE0919YY | | 47PO40JB6019YY | 47PO40JB##19YY | |
| | | IRONMAN™ | 1500 | 47NX40JB0419YY | 47NX40JB0919YY | | 47NY60JE6019YY | | |
| | | ROKHARD™ | 800 | 47HI40JB0419YY | 47HI40JB0919YY | | 47NX40JB6519YY | | |
| | | BRIMSTONE® | 800 | 47GN40JQ0419YY | 47GN40JQ0919YY | | 47HI40JB6019YY | 47HI40JB##19YY | |
| | | EPOXY | 800 | 47OV40JQ0419YY | 47OV40JQ0919YY | | 47GN40JQ6019YY | 47GN40JQ##19YY | |
| | | MAXROK™ | 800 | 47MA40JB0419YY | 47MA40JB0919YY | | | 47MA40JB##19YY | |
| | | PHENOLIC | 800 | 47PH40JB0419YY | 47PH40JB0919YY | | 47MA40JB6019YY | 47MA40JB##19YY | |
| | | PHENOLIC (STRAIGHT SIDED) | 1000 | 47PH40TB0419YY | 47PH40TB0919YY | | 47PH40JB6019YY | 47PH40JB##19YY | |
| | | HIGH-TEMP PHENOLIC | 600 | 47HT40JQ0419YY | 47HT40JQ0919YY | | | 47HT40JQ##19YY | |
| | | POLYON MAXROK™ | 700 | 47MU40J+0419YY | 47MU40J+0919YY | | | | G, K |
| | | POLYON AL™ | 800 | 47PA40J+0419YY | 47PA40J+0919YY | | 47MU40J+6319YY | 47MU40J+##19YY | N, R |
| DW-BLACK | 470 | | | | 47PA40J+6019YY | 47PA40J+##19YY | | | |
| DW-RED | 650 | | | | 47DW40JLT319YY | | | | |
| | | | | | 47DW40JRT319YY | | | | |

47/48 – MEDIUM HEAVY DUTY KINGPINLESS SERIES – 2, 000 LB

| Wheel Dia. | Tread Width | Wheel Type | Load Cap. | When multiple bearing choices exist, replace ## with desired bearing code. | | | | | + Color |
|----------------------|-------------|-----------------------|----------------|--|-------------------------|--------------------|---------------------------------------|--|---------------|
| | | | | 47 Series Swivel Caster Part # To order rigid casters, change part # prefix 47 to 48. | | | | | |
| | | | | Roller Bearing 04 | Caged Roller Bearing 09 | Tapered Bearing 73 | Sealed Precision BB 48, 63, 63, H7960 | Delrin Bronze & Plain 11, 12, 56, 57, 88, 96, B1, B5 | |
| 5 | 2 | DW-BLUE | 960 | | | | 47DW40JBT319YY | | |
| | | DW-GRAY | 1000 | | | | 47DW40JGT319YY | | |
| | | POLY-PRO™ | 500 | 47PP40J+0419YY | 47PP40J+0919YY | | 47PP40J+6019YY | 47PP40J+##19YY | I, D, K, U, W |
| | | | | 47PP40JM0419YY | 47PP40JM0919YY | | 47PP40JM6319YY | 47PP40JM##19YY | |
| | | POLYMADIC™ | 600 | 47PM40J+0419YY | 47PM40J+0919YY | | 47PM40J+##19YY | 47PM40J+##19YY | I, M |
| | | | | 47PU40J+0419YY | 47PU40J+0919YY | 47PU40JV7319YY | 47PU40JV6319YY | | |
| | | POLYON™ | 800 | | | | | 47PU40J+##19YY | G, V |
| | | ENERGY SAVER POLYON™ | 800 | 47SW40JU0419YY | 47SW40JU0919YY | 47SW40JU7319YY | | | |
| | | POLYFLEXON™ CAST | 700 | 47RP40JK0419YY | 47RP40JK0919YY | | 47RP40JK4819YY | 47RP40JK##19YY | |
| | | POLYFLEXON™ | 900 | | | | 47UA40J+6419YY | | N, O |
| | | D-POLYON™ | 900 | | | | 47UD40JL6419YY | | |
| | | ULTRAFLEX™ | 900 | | | | 47UX40JO6419YY | | |
| | | DURALASTOMER™ | 750 | | 47SU40JL0919YY | | 47SU40JL6019YY | 47SU40JL##19YY | |
| | | SUPER ELASTOMER | 1200 | | | | 47EE40JI6019YY | | |
| | | ERGOLASTOMER™ | 1000 | 47HU40JI0419YY | 47HU40JI0919YY | 47HU40JI7319YY | 47HU40JI6319YY | 47HU40JI##19YY | |
| | | SEMI-STEEL | 700 | 47SS40JS0419YY | 47SS40JS0919YY | | | 47SS40JS##19YY | |
| | | HEAVY DUTY IRON | 900 | 47HS40JS0419YY | 47HS40JS0919YY | | 47HS40JS6319YY | | |
| | | DUCTILE | 1500 | 47DS40JR0419YY | 47DS40JR0919YY | 47DS40JR7319YY | 47DS40JR6319YY | | |
| | | SOLID STEEL | 1500 | | 47MS40JS0917YY | | | 47MS40JS##19YY | |
| | | ENERGY SAVER DUCTILE™ | 1500 | 47CD40JR0419YY | 47CD40JR0919YY | | | | |
| | | MAXROK™ V-GROOVE | 800 | 47MV40JT0419YY | 47MV40JT0919YY | | 47MV40JT6019YY | 47MV40JT##19YY | |
| | | IRON V-GROOVE | 600 | 47VG40JT0419YY | 47VG40JT0919YY | | | | |
| | | DUCTILE V-GROOVE | 1500 | 47DV40JT0419YY | 47DV40JT0919YY | | | | |
| | | YOKE ONLY | | 47ZZ50JZ8319YY | | | | | |
| | | NEO-ENERGIZER™ | 550 | 47EN50JB0419YY | 47EN50JB0919YY | | 47EN50JB6019YY | | |
| | | NOMADIC™ | 500 | 47NM50J+0419YY | 47NM50J+0919YY | | 47NM50J+4819YY | | I, B |
| | | RUBBER ON NYLON | 450 | 47NR50JB0419YY | 47NR50JB0919YY | | 47NR50JB4819YY | 47NR50JB##19YY | |
| | | RUBBER ON ALUMINUM | 500 | 47RA50JB0419YY | 47RA50JB0919YY | | 47RA50JB6019YY | 47RA50JB##19YY | |
| | | MOLD-ON RUBBER | 400 | 47RS50JB0419YY | 47RS50JB0919YY | | | | |
| | | CUSHENDURE™ | 400 | | | | 47GR50JB1919YY | | |
| | | THERMO-PRO™ | 350 | | | | 47TP50JI6319YY | | |
| | | | | 47TP50J+0419YY | 47TP50J+0919YY | | 47TP50J+6019YY | 47TP50J+##19YY | I, T, X, Y |
| | | POLYOLEFIN | 650 | 47PO50JB0419YY | 47PO50JB0919YY | | 47PO50JB6019YY | 47PO50JB##19YY | |
| | | NYLON | 900 | 47NY50JE0419YY | 47NY50JE0919YY | | 47NY50JE6019YY | 47NY50JE##19YY | |
| | | IRONMAN™ | 1500 | | | 47NX50JB7319YY | 47NX50JB6519YY | | |
| | | ROKHARD™ | 1000 | 47HI50JB0419YY | 47HI50JB0919YY | | 47HI50JB6019YY | 47HI50JB##19YY | |
| | | BRIMSTONE® | 1000 | 47GN50JQ0419YY | 47GN50JQ0919YY | | 47GN50JQ6019YY | 47GN50JQ##19YY | |
| | | EPOXY | 1000 | 47OV50JQ0419YY | 47OV50JQ0919YY | | | | |
| | | MAXROK™ | 1000 | 47MA50JB0419YY | 47MA50JB0919YY | | 47MA50JB6019YY | 47MA50JB##19YY | |
| | | PHENOLIC | 1000 | 47PH50JB0419YY | 47PH50JB0919YY | | 47PH50JB6019YY | 47PH50JB##19YY | |
| | | HIGH-TEMP PHENOLIC | 750 | 47HT50JQ0419YY | 47HT50JQ0919YY | | | 47HT50JQ##19YY | |
| | | STEROLLIZER™ | 450 | | | | 47SL50CB819YY | | |
| | | POLYON MAXROK™ | 1000 | 47MU50J+0419YY | 47MU50J+0919YY | | 47MU50J+6319YY | 47MU50J+##19YY | G, K |
| | | POLYON AL™ | 900 | 47PA50J+0419YY | 47PA50J+0919YY | | 47PA50J+6019YY | 47PA50J+##19YY | N, R |
| | | POLY-C | 900 | 47PR50JL0419YY | 47PR50JL0919YY | | 47PR50JL6019YY | | |
| | | DW-BLACK | 550 | | | | 47DW50JLT319YY | | |
| | | DW-RED | 750 | | | | 47DW50JRT319YY | | |
| | | DW-BLUE | 1160 | | | | 47DW50JBT319YY | | |
| DW-GRAY | 1200 | | | | 47DW50JGT319YY | | | | |
| POLY-PRO™ | 600 | 47PP50J+0419YY | 47PP50J+0919YY | | 47PP50J+6019YY | 47PP50J+##19YY | I, D, K, U, W | | |
| | | 47PP50JM0419YY | 47PP50JM0919YY | | 47PP50JM6319YY | 47PP50JM##19YY | | | |
| POLYMADIC | 750 | | | | 47PP50JP4919YY | | | | |
| | | 47PM50JI0419YY | 47PM50JI0919YY | | 47PP50JH6319YY | | | | |
| POLYON™ | 1100 | | | 47PU50JV7319YY | 47PM50JI##19YY | 47PM50JI##19YY | | | |
| | | 47PU50J+0419YY | 47PU50J+0919YY | | 47PU50JV6319YY | | G, V | | |
| ENERGY SAVER POLYON™ | 1300 | 47SW50JU0419YY | 47SW50JU0919YY | | | | | | |
| POLYFLEXON™ CAST | 800 | 47RP50JK0419YY | 47RP50JK0919YY | | 47RP50JK6319YY | | | | |
| POLYFLEXON™ | 900 | | | | 47UA50J+6419YY | | N, O | | |
| D-POLYON™ | 900 | | | | 47UD50JL6419YY | | | | |
| ULTRAFLEX™ | 900 | | | | 47UX50JO6419YY | | | | |



DURABLE SUPERIOR CASTERS®

47/48 – MEDIUM HEAVY DUTY KINGPINLESS SERIES – 2, 000 LB

| Wheel Dia. | Tread Width | Wheel Type | Load Cap. | When multiple bearing choices exist, replace ## with desired bearing code. | | | | | + Color |
|-----------------------|-------------|---------------------------|----------------|--|-------------------------|--------------------|---------------------------------------|--|---------------------|
| | | | | 47 Series Swivel Caster Part # To order rigid casters, change part # prefix 47 to 48. | | | | | |
| | | | | Roller Bearing 04 | Caged Roller Bearing 09 | Tapered Bearing 73 | Sealed Precision BB 48, 63, 63, H7960 | Delrin Bronze & Plain 11, 12, 56, 57, 88, 96, B1, B5 | |
| 5 | 2 | DURALASTOMER™ | 900 | | 47SU50JL0919YY | | 47SU50JL6019YY | 47SU50JL##19YY | |
| | | ERGOLASTOMER™ | 1400 | 47HU50JI0419YY | 47HU50JI0919YY | 47HU50JI7319YY | 47HU50JI6319YY | 47HU50JI##19YY | |
| | | SUPER ELASTOMER | 1200 | | | | 47EE60JI6019YY | | |
| | | SEMI-STEEL | 1000 | 47SS50JS0419YY | 47SS50JS0919YY | | | 47SS50JS##19YY | |
| | | HEAVY DUTY IRON | 1200 | 47HS50JZ0419YY | 47HS50JZ0919YY | | 47HS50JS8319YY | | |
| | | DUCTILE | 1500 | 47DS50JR0419YY | 47DS50JR0919YY | 47DS50JR7319YY | 47DS50JR6319YY | | |
| | | FORGED STEEL | 1500 | 47FS50JS0419YY | 47FS50JS0919YY | | | 47FS50JS##19YY | |
| | | ENERGY SAVER DUCTILE™ | 1500 | 47CD50JR0419YY | 47CD50JR0919YY | | | | |
| | | IRON V-GROOVE | 900 | 47VG50JT0419YY | 47VG50JT0919YY | | | | |
| 6 | 2 | YOKE ONLY | | 47ZZ60JZ8319YY | | | | | |
| | | NEO-ENERGIZER™ | 600 | 47EN60JB0419YY | 47EN60JB0919YY | | 47EN60JB6019YY | | |
| | | PNEUMATIC | 200 | | | | 47FP60JB6019YY | | |
| | | FOAM FILLED EVER-ROLL™ | 200 | | | | 47FF60JB6019YY | | |
| | | NOMADIC™ | 600 | 47NM60J+0419YY | 47NM60J+0919YY | | 47NM60J+4819YY | | I, B |
| | | RUBBER ON NYLON | 550 | 47NR60JB0419YY | 47NR60JB0919YY | | | 47NR60JB##19YY | |
| | | DURA-CUSHION™ | 350 | 47BC60J+0419YY | 47BC60J+0919YY | | 47BC60J+6319YY | 47BC60J+##19YY | X, Z |
| | | ECO-RUBBER | 350 | | | | 47SN60JCP319YY | | |
| | | RUBBER ON ALUMINUM | 550 | 47RA60JB0419YY | 47RA60JB0919YY | | 47RA60JB6019YY | 47RA80JB##19YY | |
| | | MOLD-ON RUBBER | 550 | 47RS60JB0419YY | 47RS60JB0919YY | | | | |
| | | SUPREME RUBBER™ | 700 | | | 47RH60JS7319YY | | | |
| | | THERMO-PRO™ | 500 | 47TP60J+0419YY | 47TP60J+0919YY | | 47TP60J+6019YY | 47TP60J+##19YY | I, T, X, Y |
| | | POLYOLEFIN | 700 | 47PO60JB0419YY | 47PO60JB0919YY | | 47PO60JB6019YY | 47PO60JB##19YY | |
| | | NYLON | 1000 | 47NY60JE0419YY | 47NY60JE0919YY | | 47NY60JE6019YY | 47NY60JE##19YY | |
| | | IRONMAN™ | 1500 | | | 47NX60JB7319YY | 47NX60JB6519YY | | |
| | | ROKHARD™ | 1200 | 47HI60JB0419YY | 47HI60JB0919YY | | 47HI60JB6019YY | 47HI60JB##19YY | |
| | | BRIMSTONE® | 1100 | 47GN60JQ0419YY | 47GN60JQ0919YY | | 47GN60JQ6019YY | 47GN60JQ##19YY | |
| | | EPOXY | 1100 | 47OV60JQ0419YY | 47OV60JQ0919YY | | | 47OV60JQ##19YY | |
| | | MAXROK™ | 1200 | 47MA60JB0419YY | 47MA60JB0919YY | | 47MA60JB6019YY | 47MA60JB##19YY | |
| | | PHENOLIC | 1200 | 47PH60JB0419YY | 47PH60JB0919YY | | 47PH60JB6019YY | 47PH60JB##19YY | |
| | | PHENOLIC (STRAIGHT SIDED) | | 47PH60TB0419YY | 47PH60TB0919YY | | | | |
| | | HIGH-TEMP PHENOLIC | 900 | 47HT60JQ0419YY | 47HT60JQ0919YY | | | 47HT60JQ##19YY | |
| | | POLYON MAXROK™ | 1200 | 47MU60J+0419YY | 47MU60J+0919YY | | 47MU60J+6319YY | 47MU60J+##19YY | G, K |
| | | POLYON AL™ | 1200 | 47BC60J+0419YY | 47BC60J+0919YY | | 47PA60J+6019YY | 47PA60J+##19YY | N, R |
| | | POLYON-C | 1200 | 47PR60JL0419YY | 47PR60JL0919YY | | 47PR60JL6019YY | | |
| | | DW-BLACK | 700 | | | | 47DW60JLT319YY | | |
| | | DW-RED | 960 | | | | 47DW60JRT319YY | | |
| | | DW-BLUE | 1400 | | | | 47DW60JBT319YY | | |
| | | DW-GRAY | 1440 | | | | 47DW60JGT319YY | | |
| | | POLY-PRO™ | 720 | 47PP60J+0419YY | 47PP60J+0919YY | | 47PP60J+##19YY | 47PP60J+##19YY | I, D, H, K, M, U, W |
| | | | 900 | | | | 47PP60JP4919YY | | |
| | | POLYADIC | 900 | 47PM60J+0419YY | 47PM60J+0919YY | | 47PP60JH6319YY | | |
| | | POLYON™ | 1200 | | | 47PU60JV7319YY | 47PM60J+##19YY | 47PM60J+##19YY | I, M |
| | | | | 47PU60J+0419YY | 47PU60J+0919YY | | 47PU60JV6319YY | | |
| | | | | | | | | 47PU60J+##19YY | G, V |
| | | ENERGY SAVER POLYON™ | 1400 | 47SW60JU0419YY | 47SW60JU0919YY | 47SW60JU7319YY | 47SW60JU6319YY | | |
| | | POLYFLEXON™ CAST | 900 | 47RP60JK0419YY | 47RP60JK0919YY | | 47RP60JK4819YY | | |
| | | POLYFLEXON™ | 1000 | | | | 47UA60J+6419YY | | N, O |
| | | D-POLYON™ | 1000 | | | | 47UD60JL6419YY | | |
| | | ULTRAFLEX™ | 1000 | | | | 47UX60JO6419YY | | |
| CHAMPION™ | 1200 | | | | 47CP60JN6419YY | | | | |
| DURALASTOMER™ | 1000 | | 47SU60JL0919YY | | 47SU60JL6019YY | 47SU60JL##19YY | | | |
| SUPER ELASTOMER | 1320 | | | | 47EE60JI6019YY | | | | |
| ERGOLASTOMER™ | 1700 | 47HU60JI0419YY | 47HU60JI0919YY | 47HU60JI7319YY | 47HU60JI6319YY | 47HU60JI##19YY | | | |
| SEMI-STEEL | 1200 | 47SS60JS0419YY | 47SS60JS0919YY | | | 47SS60JS##19YY | | | |
| HEAVY DUTY IRON | 1400 | 47HS60JX0419YY | 47HS60JX0919YY | | 47HS60JS6319YY | | | | |
| DUCTILE | 2000 | 47DS60JR0419YY | 47DS60JR0919YY | 47DS60JR7319YY | 47DS60JR6319YY | | | | |
| ENERGY SAVER DUCTILE™ | 2000 | 47CD60JR0419YY | 47CD60JR0919YY | | | | | | |
| 6 | 2 | FORGED STEEL | 2000 | 47FS60JS0419YY | 47FS60JS0919YY | 47FS60JS7319YY | | | |
| | | IRON V-GROOVE | 1000 | 47VG60JT0419YY | 47VG60JT0919YY | | | | |
| | | DUCTILE V-GROOVE | 1500 | 47DV60JT0419YY | 47DV60JT0919YY | | 47DV60JT6319YY | | |



47/48 – MEDIUM HEAVY DUTY KINGPINLESS SERIES – 2, 000LB

| Wheel Dia. | Tread Width | Wheel Type | Load Cap. | When multiple bearing choices exist, replace ## with desired bearing code. | | | | | + Color |
|-----------------------|-------------|----------------------|----------------|--|-------------------------|--------------------|---------------------------------------|--|---------------------|
| | | | | 47 Series Swivel Caster Part # To order rigid casters, change part # prefix 47 to 48. | | | | | |
| | | | | Roller Bearing 04 | Caged Roller Bearing 09 | Tapered Bearing 73 | Sealed Precision BB 48, 63, 63, H7960 | Delrin Bronze & Plain 11, 12, 56, 57, 88, 96, B1, B5 | |
| 8 | 2 | YOKE ONLY | | 47ZZ80JZ8319YY | | | | | |
| | | NEO-ENERGIZER™ | 600 | 47EN80JB0419YY | 47EN80JB0919YY | | 47EN80JB6019YY | | |
| | | NOMADIC™ | 700 | 47NM80J+0419YY | 47NM80J+0919YY | | 47NM80J+4819YY | | I, B |
| | | RUBBER ON NYLON | 600 | 47NR80JB0419YY | 47NR80JB0919YY | | | 47NR80JB##19YY | |
| | | DURA-CUSHION™ | 450 | 47BC80J+0419YY | 47BC80J+0919YY | | 47BC80J+6319YY | 47BC80J+##19YY | X, Z |
| | | ECO-RUBBER | 450 | | | | 47SN80UCP319YY | | |
| | | RUBBER ON ALUMINUM | 600 | 47RA80JB0419YY | 47RA80JB0919YY | | 47RA80JB6019YY | 47RA80JB##19YY | |
| | | MOLD-ON RUBBER | 600 | 47RS80JB0419YY | 47RS80JB0919YY | | | | |
| | | SUPREME RUBBER™ | 800 | | | 47RH80JS7319YY | | | |
| | | THERMO-PRO™ | 600 | 47TP80J+0419YY | 47TP80J+0919YY | | 47TP80J+6019YY | 47TP80J+##19YY | I, T, X, Y |
| | | POLYOLEFIN | 900 | 47PO80J+0419YY | 47PO80J+0919YY | | 47PO80J+P319YY | | B, E |
| | | NYLON | 1100 | 47NY80JE0419YY | 47NY80JE0919YY | | 47NY80JE6019YY | 47NY80JE##19YY | |
| | | IRONMAN™ | 1500 | | | 47NX80JB7319YY | 47NX80JB6519YY | | |
| | | ROKHARD™ | 1400 | 47HI80JB0419YY | 47HI80JB0919YY | | 47HI80JB6019YY | 47HI80JB##19YY | |
| | | BRIMSTONE® | 1200 | 47GN80JQ0419YY | 47GN80JQ0919YY | | 47GN80JQ6019YY | 47GN80JQ##19YY | |
| | | EPOXY | 1200 | 47OV80JQ0419YY | 47OV80JQ0919YY | | | 47OV80JQ##19YY | |
| | | MAXROK™ | 1400 | 47MA80JB0419YY | 47MA80JB0919YY | | 47MA80JB6019YY | 47MA80JB##19YY | |
| | | PHENOLIC | 1400 | 47PH80JB0419YY | 47PH80JB0919YY | | 47PH80JB6019YY | 47PH80JB##19YY | |
| | | HIGH-TEMP PHENOLIC | 1100 | 47HT80JQ0419YY | 47HT80JQ0919YY | | | 47HT80JQ##19YY | |
| | | POLY MAXROK™ | 1400 | 47MU80J+0419YY | 47MU80J+0919YY | | 47MU80J+6319YY | 47MU80J+##19YY | G, K |
| | | POLYON AL™ | 1500 | 47PA80J+0419YY | 47PA80J+0919YY | | 47PA80J+6019YY | 47PA80J+##19YY | N, R |
| | | DW-BLACK | 1400 | | | | 47DW80JLT319YY | | |
| | | DW-RED | 1500 | | | | 47DW80JRT319YY | | |
| | | DW-BLUE | 1500 | | | | 47DW80JBT319YY | | |
| | | DW-GRAY | 1500 | | | | 47DW80JGT319YY | | |
| | | POLY-PRO™ | 800 | 47PP80J+0419YY | 47PP80J+0919YY | | 47PP80J+##19YY | 47PP80J+##19YY | I, D, H, K, M, U, W |
| | | | 1000 | | | | 47PP80JP4919YY | | |
| | | POLYMADIC™ | 1000 | 47PM80J+0419YY | 47PM80J+0919YY | | 47PM80J+##19YY | 47PM80J+##19YY | I, M |
| | | | | | | 47PU80JV7319YY | 47PU80JV6319YY | | |
| | | POLYON™ | 1400 | 47PU80J+0419YY | 47PU80J+0919YY | | | 47PU80J+##19YY | |
| | | | | | | 47SW80JU0919YY | 47SW80JU0919YY | 47SW80JU7319YY | 47SW80JU6319YY |
| | | ENERGY SAVER POLYON™ | 1500 | | | | | | |
| | | POLYFLEXON™ CAST | 1000 | | | | 47RP80JK6319YY | | |
| | | POLYFLEXON™ | 1200 | | | | 47UA80J+6319YY | | N, O |
| | | D-POLYON™ | 1200 | | | | 47UD80JL6419YY | | |
| | | ULTRAFLEX™ | 1200 | | | | 47UX80JO6419YY | | |
| | | CHAMPION™ | 1500 | | | | 47CP60JN6419YY | | |
| | | SUPER ELASTOMER | 1250 | | | | 47EE80JI6019YY | | |
| | | DURALASTOMER™ | 1000 | | 47SU80JL0919YY | | 47SU80JL6019YY | 47SU80JL##19YY | |
| | | ERGOLASTOMER™ | 2000 | 47HU80JI0491YY | 47HU80JI0919YY | 47HU80JI7319YY | 47HU80JI6319YY | 47HU80JI##19YY | |
| SEMI-STEEL | 1400 | 47SS80JS0419YY | 47SS80JS0919YY | | | 47SS80JS##19YY | | | |
| HEAVY DUTY IRON | 1600 | 47HS80JS0419YY | 47HS80JS0919YY | | 47HS80JS6319YY | | | | |
| DUCTILE | 2000 | 47DS80JR0419YY | 47DS80JR0919YY | 47DS80JR7319YY | 47DS80JR6319YY | | | | |
| ENERGY SAVER DUCTILE™ | 2000 | 47CD80JR0419YY | 47CD80JR0919YY | | | | | | |
| FORGED STEEL | 2000 | 47FS80JS0419YY | 47FS80JS0919YY | 47FS80JS7319YY | | | | | |
| IRON V-GROOVE | 1200 | 47VG80JT0419YY | 47VG80JT0919YY | | | | | | |