

43/44 – MEDIUM HEAVY DUTY SERIES – 1,500LB



- Large heat treated double ball raceways
- 3/4" kingbolt
- Zinc-plated
- 1/2" axle

| BRAKE OPTIONS | | |
|--------------------|-----------------|--------------------|
| | | |
| Top Lock Brake (T) | A-Cam Brake (A) | Cam-Lock Brake (C) |

| OTHER OPTIONS | | | |
|---------------------|-------------------|-----------|---|
| | | | |
| 4-Position Lock (P) | Thread Guards (G) | Toe Guard | 4-Position Lock Bolt-on. Order Separately Part # 4PSL27 |

| FASTENING PATTERN | | | |
|-------------------|---------------|-----------------------------------|--------------------|
| Plate Code | Overall Size | Bolt Hole Pattern | Mounting Bolt Size |
| 19 | 4-1/2 X 6-1/4 | 2-7/16 X 4-15/16 TO 3-3/8 X 5-1/4 | 1/2 |

| WHEEL DIAMETER, OVERALL HEIGHT AND SWIVEL RADIUS | | | |
|--|---|---------------|-------|
| Wheel Diameter | Overall Height | Swivel Radius | |
| 4 | 5-5/8 | 3-3/8 | |
| 5 | 6-1/2 | 4 | |
| 6 | 7-1/2 | 4-3/4 | |
| 8 | 10-1/8 | 5-1/2 | |
| 8 | 9-1/2 (OPTIONAL HEIGHT - CHANGE PART # DIAMETER DESIGNATOR FROM 80 TO 81) | | 5-1/2 |
| 10 | 11-1/2 | 7 | |

43/44 – MEDIUM HEAVY DUTY SERIES – 1,500LB

| Wheel Diameter | Thread Width | Wheel Type | Available Bearing Options | + Color | Replace + with a desired wheel color. Replace ## with desired wheel bearing. | | Load Cap. | |
|-----------------|--------------------|---------------------------|---------------------------|----------------|--|------------------------|----------------|------|
| | | | | | 43 Series Swivel Part # | 44 Series Rigid Part # | | |
| 4 | 2 | YOKE ONLY | | | | 43ZZ40JZ8319YY | 44ZZ40JZ8319YY | |
| | | NEO-ENERGIZER™ | 04, 09, 60 | | | 43EN40JB##19YY | 44EN40JB##19YY | 500 |
| | | NOMADIC™ | 04, 09, 60, 48, 57 | I, B | | 43NM40J+##19YY | 44NM40J+##19YY | 400 |
| | | RUBBER ON NYLON | 04, 09, 60, 48, 57 | | | 43NR40JB##19YY | 44NR40JB##19YY | 400 |
| | | RUBBER ON ALUMINUM | 04, 09, 60, 48, 57 | | | 43RA40JB##19YY | 44RA40JB##19YY | 400 |
| | | LOW PROFILE RUBBER | | | | 43LP40JB0419YY | 44LP40JB0419YY | 300 |
| | | MOLD-ON RUBBER | 04, 09, 60, 48, 57 | | | 43RS40JB##19YY | 44RS40JB##19YY | 400 |
| | | THERMO-PRO™ | 04, 09, 60, 63, 48, 57 | A, T, Y | | 43TP40J+##19YY | 44TP40J+##19YY | 300 |
| | | POLYOLEFIN | 04, 09, 60, 63, 48, 57 | B, E | | 43P040J+##19YY | 44P040J+##19YY | 500 |
| | | NYLON | 04, 09, 60, 63, 48, 57 | | | 43NY40JE##19YY | 44NY40JE##19YY | 800 |
| | | IRONMAN | 04, 09, 65, 73 | | | 43NX40JB##19YY | 44NX40JB##19YY | 1500 |
| | | ROKHARD™ | 04, 09, 60, 63, 48, 57 | | | 43HI40JB##19YY | 44HI40JB##19YY | 800 |
| | | BRIMSTONE® | 04, 09, 90 | | | 43GN40JQ##19YY | 44GN40JQ##19YY | 800 |
| | | EPOXY | 04, 09, 90 | | | 43OV40JQ##19YY | 44OV40JQ##19YY | 800 |
| | | MAXROK™ | 04, 09, 60, 63, 48, 57 | | | 43MA40JB##19YY | 44MA40JB##19YY | 800 |
| | | PHENOLIC | 04, 09, 60, 63, 48, 57 | | | 43PH40JB##19YY | 44PH40JB##19YY | 800 |
| | | PHENOLIC (STRAIGHT SIDED) | 04, 09, 60, 57, 12 | | | 43PH40TB##19YY | 44PH40TB##19YY | 1000 |
| | | HIGH-TEMP PHENOLIC | 04, 09, 90 | | | 43HT40JQ##19YY | 44HT40JQ##19YY | 600 |
| | | POLYON MAXROK™ | 04, 09, 60, 63, 48, 57 | | G, K | 43MU40J+##19YY | 44MU40J+##19YY | 700 |
| | | POLY AL™ | 04, 09, 60, 63, 48, 57 | | N, R | 43PA40J+##19YY | 44PA40J+##19YY | 800 |
| | | DW-BLACK | | | | 43DW40JLT319YY | 44DW40JLT319YY | 470 |
| | | DW-RED | | | | 43DW40JRT319YY | 44DW40JRT319YY | 650 |
| | | DW-BLUE | | | | 43DW40JBT319YY | 44DW40JBT319YY | 960 |
| | | DW-GRAY | | | | 43DW40JGT319YY | 44DW40JGT319YY | 1000 |
| | | POLY-PRO™ | 04, 09, 60, 63, 48, 57 | D, K, M, U, W | | 43PP40J+##19YY | 44PP40J+##19YY | 500 |
| | | | | | | 43PP40JP4919YY | 44PP40JP4919YY | 600 |
| | | POLYADIC™ | 04, 09, 60, 63, 48, 57 | I, M | | 43PM40J+##19YY | 44PM40J+##19YY | 600 |
| | | POLYON™ | 04, 09, 60 | G, V | | 43PU40J+##19YY | 44PU40J+##19YY | 800 |
| | | | | | | 43PU40JV6319YY | 44PU40JV6319YY | 800 |
| | | ENERGY SAVER POLYON™ | 04, 09, 60, 73 | | | 43SW40JU##19YY | 44SW40JU##19YY | 800 |
| | | POLYFLEXON™ CAST | 04, 09, 60, 63, 48, 57 | | | 43RP40JK##19YY | 44RP40JK##19YY | 700 |
| | | POLYFLEXON™ | | N, O | | 43UA40J+6419YY | 44UA40J+6419YY | 900 |
| | | D-POLYON | | | | 43UD40JL6419YY | 44UD40JL6419YY | 900 |
| | | ULTRAFLEX™ | | | | 43UX40JO6419YY | 44UX40JO6419YY | 900 |
| | | DURALASTOMER™ | 09, 60, 57 | | | 43SU40JL##19YY | 44SU40JL##19YY | 750 |
| SUPER ELASTOMER | | | | 43EE40JI6019YY | 44EE40JI6019YY | 1200 | | |
| ERGOLASTOMER™ | 04, 09, 73, 64, 57 | | | 43HU40JI##19YY | 44HU40JI##19YY | 1000 | | |
| SEMI-STEEL | 04, 09 | | | 43SS40JS##19YY | 44SS40JS##19YY | 700 | | |
| HEAVY DUTY IRON | 04, 09, 63 | | | 43HS40JS##19YY | 44HS40JS##19YY | 900 | | |



DURABLE SUPERIOR CASTERS®

43/44 – MEDIUM HEAVY DUTY SERIES – 1, 500LB

| Wheel Diameter | Thread Width | Wheel Type | Available Bearing Options | + Color | Replace + with a desired wheel color. Replace ## with desired wheel bearing. | | Load Cap. | | |
|----------------|--------------|-----------------------|----------------------------|----------------------|---|------------------------|----------------|----------------|------|
| | | | | | 43 Series Swivel Part # | 44 Series Rigid Part # | | | |
| 5 | 2 | DUCTILE | 04, 09, 63, 73 | | 43DS40JR##19YY | 44DS40JR##19YY | 1500 | | |
| | | SOLID STEEL | 09, B1, B5 | | 43MS40JS##19YY | 44MS40JS##19YY | 1500 | | |
| | | ENERGY SAVER DUCTILE™ | 04, 09, B1, B5 | | 43CD40JR##19YY | 44CD40JR##19YY | 1500 | | |
| | | MAXROK™ | 04, 09, 60, 57 | | 43MV40JT##19YY | 44MV40JT##19YY | 800 | | |
| | | IRON V-GROOVE | 04, 09 | | 43VG40JT##19YY | 44VG40JT##19YY | 600 | | |
| | | DUCTILE V-GROOVE | 04, 09, B1, B5 | | 43DV40JT##19YY | 44DV40JT##19YY | 1500 | | |
| | | | | YOKE ONLY | | | 43ZZ50JZ8319YY | 44ZZ50JZ8319YY | |
| | | NEO-ENERGIZER™ | 04, 09, 60' | | | 43EN50JB##19YY | 44EN50JB##19YY | 550 | |
| | | NOMADIC™ | 04, 09, 48, 60, 57 | B, I | | 43NM50J+##19YY | 44NM50J+##19YY | 500 | |
| | | RUBBER ON NYLON | 04, 09, 48, 60, 57 | | | 43NR50JB##19YY | 44NR50JB##19YY | 450 | |
| | | RUBBER ON ALUMINUM | 04, 09, 48, 60, 57 | | | 43RA50JB##19YY | 44RA50JB##19YY | 500 | |
| | | MOLD-ON RUBBER | 04, 09, 60, 48, 57 | | | 43RS50JB##19YY | 44RS50JB##19YY | 400 | |
| | | CUSHENDURE™ | | | | 43GR50JB1919YY | 44GR50JB1919YY | 400 | |
| | | THERMO-PRO™ | 04, 09, 60, 48, 63, 57 | A, I, T, X, Y, Z | | 43TP50J+##19YY | 44TP50J+##19YY | 350 | |
| | | POLYOLEFIN | | B, E | | 43PO50J+##19YY | 44PO50J+##19YY | 650 | |
| | | NYLON | 04, 09, 60, 48, 53, P3, 57 | | | 43NY50JE##19YY | 44NY50JE##19YY | 900 | |
| | | IRONMAN | 65, 73 | | | 43NX50JB##19YY | 44NX50JB##19YY | 1500 | |
| | | ROKHARD™ | 04, 09, 48, 60, 57 | | | 43HI50JB##19YY | 44HI50JB##19YY | 900 | |
| | | BRIMSTONE® | 04, 09, 60, 90 | | | 43GN50JQ##19YY | 44GN50JQ##19YY | 1000 | |
| | | EPOXY | 04, 09, 90 | | | 43OV50JQ##19YY | 44OV50JQ##19YY | 1000 | |
| | | MAXROK™ | 04, 09, 60, 48, 57 | | | 43MA50JB##19YY | 44MA50JB##19YY | 1000 | |
| | | PHENOLIC | 04, 09, 60, 48, 57, 90 | | | 43PH50JB##19YY | 44PH50JB##19YY | 1000 | |
| | | H-TEMP PHENOLIC | 04, 09, 90 | | | 43HT50JQ##19YY | 44HT50JQ##19YY | 750 | |
| | | STEROLLIZER™ | | | | 43SL50JCB819YY | 44SL50JCB819YY | 450 | |
| | | POLYON MAXROK™ | 04, 09, 48, 60, 57 | G, K | | 43MU50J+##19YY | 44MU50J+##19YY | 1000 | |
| | | POLYON AL™ | 04, 09, 48, 60, 57 | N, R | | 43PA50J+##19YY | 44PA50J+##19YY | 900 | |
| | | POLYON - C | 04, 09, 48, 60, 57, 12 | | | 43PR50JL##19YY | 44PR50JL##19YY | 900 | |
| | | DW-BLACK | | | | 43DW50JLT319YY | 44DW50JLT319YY | 550 | |
| | | DW-RED | | | | 43DW50JRT319YY | 44DW50JRT319YY | 750 | |
| | | DW-BLUE | | | | 43DW50JBT319YY | 44DW50JBT319YY | 1160 | |
| | | DW-GRAY | | | | 43DW50JGT319YY | 44DW50JGT319YY | 1200 | |
| | | | | POLY-PRO™ | 04, 09, 48, 60, 63, 57 | B, C, D, K, U, M, W | 43PP50J+##19YY | 44PP50J+##19YY | 600 |
| | | | | | | | 43PP50JP4919YY | 44PP50JP4919YY | 700 |
| | | | | | | | 43PP50JH6319YY | 44PP50JH6319YY | |
| | | | | POLYMAC™ | 04, 09, 48, 60, 63, 57 | I, M | 43PM50J+##19YY | 44PM50J+##19YY | 750 |
| | | | | POLYON™ | | | 43PU50JV6319YY | 44PU50JV6319YY | 1100 |
| | | | | | 04, 09, 60, 48 | G, V | 43PU50J+##19YY | 44PU50J+##19YY | 1100 |
| | | | | ENERGY SAVER POLYON™ | 04, 09, 60, 48 | | 43SW50JU##19YY | 44SW50JU##19YY | 1300 |
| | | | | POLYFLEXON™ CAST | 04, 09, 60, 48 | | 43RP50JK##19YY | 44RP50JK##19YY | 800 |
| | | | | POLYFLEXON™ | | N, O | 43UA50J+6419YY | 44UA50J+6419YY | 900 |
| | | | | D-POLYON | | | 43UD50JL6419YY | 44UD50JL6419YY | 900 |
| | | | | ULTRAFLEX™ | | | 43UX50JO6419YY | 44UX50JO6419YY | 900 |
| | | | | DURALASTOMER™ | 09, 60, 57 | | 43SU50JL##19YY | 44SU50JL##19YY | 900 |
| | | | | SUPER ELASTOMER | | | 43EE60JI6019YY | 44EE60JI6019YY | 1200 |
| | | | | ERGOLASTOMER™ | 04, 09, 73, 64, 57 | | 43HU50JI##19YY | 44HU50JI##19YY | 1400 |
| | | SEMI-STEEL | 04, 09 | | 43SS50JS##19YY | 44SS50JS##19YY | 1000 | | |
| | | HEAVY DUTY IRON | 04, 09, 63 | | 43HS50JS##19YY | 44HS50JS##19YY | 1200 | | |
| | | DUCTILE | 04, 09, 73, 63, B1, B5 | | 43DS50JR##19YY | 44DS50JR##19YY | 1500 | | |
| | | FORGED STEEL | 02, 09, B5, B1 | | 43FS50JS##19YY | 44FS50JS##19YY | 1500 | | |
| | | ENERGY SAVER DUCTILE™ | 04, 09, B1, B5 | | 43CD50JR##19YY | 44CD50JR##19YY | 1500 | | |
| | | IRON V-GROOVE | 04, 09 | | 43VG50JT##19YY | 44VG50JT##19YY | 900 | | |
| | | YOKE ONLY | | | 43ZZ60JZ8319YY | 44ZZ60JZ8319YY | | | |
| | | NEO-ENERGIZER™ | 04, 09, 60 | | 43EN60JB##19YY | 44EN60JB##19YY | 600 | | |
| | | PNEUMATIC | | | 43FP60JB6019YY | 44FP60JB6019YY | 200 | | |
| | | FOAM FILLED | | | 43FF60JB6019YY | 44FF60JB6019YY | 200 | | |
| | | EVER-ROLL™ | | B, I | 43ER60J+6019YY | 44ER60J+6019YY | 200 | | |
| | | NOMADIC™ | 04, 09, 48, 60, 57 | | 43NM60JB##19YY | 44NM60JB##19YY | 600 | | |
| | | RUBBER ON NYLON | 04, 09, 48, 60, 57 | | 43NR60JB##19YY | 44NR60JB##19YY | 550 | | |
| | | DURA-CUSHION™ | 04, 09, 63 | X, Z | 43BC60J+##19YY | 44BC60J+##19YY | 350 | | |
| | | ECO-RUBBER | 53, P3 | | 43SN60JC##19YY | 44SN60JC##19YY | 350 | | |
| | | RUBBER ON ALUMINUM | 04, 09, 48, 60, 57 | | 43RA60JB##19YY | 44RA60JB##19YY | 550 | | |
| | | LOW PROFILE RUBBER | | | 43LP60JB0419YY | 44LP60JB0419YY | 600 | | |
| | | MOLD-ON RUBBER | 04, 09, 48, 60, 57 | | 43RS60JB##19Y | 44RS60JB##19Y | 550 | | |
| | | SUPREME RUBBER | 63, 73 | | 43RH60JS##19YY | 44RH60JS##19YY | 700 | | |
| | | THERMO-PRO™ | 04, 09, 60, 63, 48, 57 | A, I, T, X, Y, Z | 43TP60J+##19YY | 44TP60J+##19YY | 500 | | |
| | | POLYOLEFIN | 04, 09, 60, 53, P3, 48, 57 | B, E | 43PO60J+##19YY | 44PO60J+##19YY | 700 | | |
| | | NYLON | 04, 09, 48, 60, 57 | | 43NY60JE##19YY | 44NY60JE##19YY | 1000 | | |
| | | IRONMAN | 65, 73 | | 43NX60JB##19YY | 44NX60JB##19YY | 1500 | | |
| | | ROKHARD™ | 04, 09, 48, 60, 57 | | 43HI60JB##19YY | 44HI60JB##19YY | 1000 | | |
| | | BRIMSTONE® | 04, 09, 60, 90 | | 43GN60JQ##19YY | 44GN60JQ##19YY | 1100 | | |



43/44 – MEDIUM HEAVY DUTY SERIES – 1, 500LB

| Wheel Diameter | Thread Width | Wheel Type | Available Bearing Options | + Color | Replace + with a desired wheel color. Replace ## with desired wheel bearing. | | Load Cap. | |
|-----------------------|------------------------|-------------------------|--------------------------------|-------------------|---|------------------------|----------------|------|
| | | | | | 43 Series Swivel Part # | 44 Series Rigid Part # | | |
| 6 | 2 | EPOXY | 04, 09, 90 | | | 430V60JQ##19YY | 440V60JQ##19YY | 1100 |
| | | MAXROK™ | 04, 09, 60, 48, 57 | | | 43MA60JB##19YY | 44MA60JB##19YY | 1200 |
| | | PHENOLIC | 04, 09, 60, 48, 57 | | | 43PH60JB##19YY | 44PH60JB##19YY | 1200 |
| | | STRAIGHT SIDED PHENOLIC | | | | 43PH60TB##19YY | 44PH60TB##19YY | 1500 |
| | | HIGH-TEMP PHENOLIC | 04, 09, 90 | | | 43HT60JQ##19YY | 44HT60JQ##19YY | 1000 |
| | | POLY MAXROK™ | 04, 09, 60, 48, 57 | G, K | | 43MU60J+##19YY | 44MU60J+##19YY | 1100 |
| | | POLYON AL™ | 04, 09, 48, 60, 57 | N, R | | 43PA60J+##19YY | 44PA60J+##19YY | 1100 |
| | | POLYON-C | 04, 09, 48, 60, 57, 12 | | | 43PR60JL##19YY | 44PR60JL##19YY | 1200 |
| | | DW-BLACK | | | | 43DW60JLT319YY | 44DW60JLT319YY | 700 |
| | | DW-RED | | | | 43DW60JRT319YY | 44DW60JRT319YY | 960 |
| | | DW-BLUE | | | | 43DW60JBT319YY | 44DW60JBT319YY | 1400 |
| | | DW-GRAY | | | | 43DW60JGT319YY | 44DW60JGT319YY | 1440 |
| | | POLY-PRO™ | 04, 09, 48, 60, 57 | | D, I, K, M, W, U | 43PP60J+##19YY | 44PP60J+##19YY | 720 |
| | | | | | | 43PP60JP4919YY | 44PP60JP4919YY | 900 |
| | | | | | | 43PP60JH6319YY | 44PP60JH6319YY | |
| | | POLYMAC™ | 04, 09, 48, 60, 63, 57 | I, M | | 43PM60J+##19YY | 44PM60J+##19YY | 900 |
| | | POLYON™ | 04, 09, 60 | | G, V | 43PU60JV6319YY | 44PU60JV6319YY | 1200 |
| | | | | | | 43PU60J+##19YY | 44PU60J+##19YY | |
| | | ENERGY SAVER POLYON™ | 04, 09, 63, 73 | | | 43SW60JU##19YY | 44SW60JU##19YY | 1400 |
| | | POLYFLEXION™ CAST | 04, 09, 60, 48, 57 | | | 43RP60JK##19YY | 44RP60JK##19YY | 900 |
| | | POLYFLEXION™ | | N, O | | 43UA60J+6419YY | 44UA60J+6419YY | 1000 |
| | | D-POLYON | | | | 43UD60JL6419YY | 44UD60JL6419YY | 1000 |
| | | ULTRAFLEX™ | | | | 44UX60JO6419YY | 44UX60JO6419YY | 1000 |
| | | CHAMPION | | | | 43CP60JN6419YY | 44CP60JN6419YY | 1200 |
| | | DURALASTOMER™ | 09, 60, 57 | | | 43SU60JL##19YY | 44SU60JL##19YY | 1000 |
| | | SUPER ELASTOMER | | | | 43EE60JI6019YY | 44EE60JI6019YY | 1320 |
| | | ERGOLASTOMER™ | 04, 09, 73, 64, 57 | | | 43HU60JI##19YY | 44HU60JI##19YY | 1500 |
| | | SEMI-STEEL | 04, 09 | | | 43SS60JS##19YY | 44SS60JS##19YY | 1200 |
| | | HEAVY DUTY IRON | 04, 09, 63 | | | 43HS60JS##19YY | 44HS60JS##19YY | 1400 |
| | | DUCTILE | 04, 09, 73, 63, B1, B5 | | | 43DS60JR##19YY | 44DS60JR##19YY | 1500 |
| ENERGY SAVER DUCTILE™ | 04, 09, B1, B5 | | | 43CD60JR##19YY | 44CD60JR##19YY | 1500 | | |
| FORGED STEEL | 04, 09, 73, 63, B1, B5 | | | 43FS60JS##19YY | 44FS60JS##19YY | 1500 | | |
| IRON V-GROOVE | 04, 09 | | | 43VG60JT##19YY | 44VG60JT##19YY | 1000 | | |
| DUCTILE V-GROOVE | 04, 09, B1, B5 | | | 43DV60JT##19YY | 44DV60JT##19YY | 1500 | | |
| 6 | 2-1/2 | YOKE ONLY | | | | 43ZZ60KZ8319YY | 44ZZ60KZ8319YY | |
| | | MOLD-ON RUBBER | 06 | | | 43RS60KB0619YY | 44RS60KB0619YY | 700 |
| | | PHENOLIC | 06 | | | 43PH60KB0619YY | 44PH60KB0619YY | 1400 |
| | | POLYON™ | 06 | | | 43PU60KV0619YY | 44PU60KV0619YY | 1500 |
| | | SEMI-STEEL | 06 | | | 43SS60KS0619YY | 44SS60KS0619YY | 1500 |
| 8 | 2 | YOKE ONLY | | | | 43ZZ80JZ8319YY | 44ZZ80JZ8319YY | |
| | | NEO-ENERGIZER™ | 04, 09, 60 | | | 43EN80JB##19YY | 44EN80JB##19YY | 600 |
| | | NOMADIC™ | 04, 09, 48, 60, 57 | B, I | | 43NM80J+##19YY | 44NM80J+##19YY | 700 |
| | | RUBBER ON NYLON | 04, 09, 48, 60, 57 | | | 43NR80JB##19YY | 44NR80JB##19YY | 600 |
| | | DURA-CUSHION™ | 04, 09, 63 | X, Z | | 43BC80J+##19YY | 44BC80J+##19YY | 450 |
| | | ECO-RUBBER | 53, P3 | | | 43SN80UC##19YY | 44SN80UC##19YY | 450 |
| | | RUBBER ON ALUMINUM | 04, 09, 48, 60, 57 | | | 43RA80JB##19YY | 44RA80JB##19YY | 600 |
| | | MOLD-ON RUBBER | 04, 09, 48, 60, 57 | | | 43RS80JB##19YY | 44RS80JB##19YY | 600 |
| | | SUPREME RUBBER | 63, 73 | | | 43RH80JS##19YY | 44RH80JS##19YY | 800 |
| | | THERMO-PRO™ | 04, 09, 60, 63, 48, 57 | A, I, T, X, Y, Z, | | 43TP80J+##19YY | 44TP80J+##19YY | 600 |
| | | POLYOLEFIN | 04, 09, 60, 53, P3, 48, 57, 90 | B, E | | 43PO80J+##19YY | 44PO80J+##19YY | 900 |
| | | NYLON | 04, 09, 60, 48, 57 | | | 43NY80JE##19YY | 44NY80JE##19YY | 1100 |
| | | IRONMAN | 65, 73 | | | 43NX80JB##19YY | 44NX80JB##19YY | 1500 |
| | | ROKHARD™ | 04, 09, 48, 60, 57 | | | 43HI80JB##19YY | 44HI80JB##19YY | 1100 |
| | | BRIMSTONE® | 04, 09, 60, 90 | | | 43GN80JQ##19YY | 44GN80JQ##19YY | 1200 |
| | | EPOXY | 04, 09, 90 | | | 43OV80JQ##19YY | 44OV80JQ##19YY | 1200 |
| | | MAXROK™ | 04, 09, 48, 60, 57 | | | 43MA80JB##19YY | 44MA80JB##19YY | 1400 |
| | | PHENOLIC | 04, 09, 60, 57 | | | 43PH80JB##19YY | 44PH80JB##19YY | 1400 |
| | | HIGH-TEMP PHENOLIC | 04, 09, 60, 90 | | | 43HT80JQ##19YY | 44HT80JQ##19YY | 1100 |
| | | POLY MAXROK™ | 04, 09, 48, 60, 57 | G, K | | 43MU80J+##19YY | 44MU80J+##19YY | 1400 |
| | | POLYON AL™ | 04, 09, 48, 60, 57 | N, R | | 43PA80J+##19YY | 44PA80J+##19YY | 1500 |
| | | DW-BLACK | | | | 43DW80JLT319YY | 44DW80JLT319YY | 750 |
| | | DW-RED | | | | 43DW80JRT319YY | 44DW80JRT319YY | 1100 |
| | | DW-BLUE | | | | 43DW80JBT319YY | 44DW80JBT319YY | 1500 |
| | | DW-GRAY | | | | 43DW80JGT319YY | 44DW80JGT319YY | 1500 |
| | | POLY-PRO™ | 04, 09, 48, 60, 63, 57 | | C, D, I, K, M, U, W | 43PP80J+##19YY | 44PP80J+##19YY | 800 |
| | | | | | | 43PP80JP4919YY | 44PP80JP4919YY | 900 |
| | | | | | | 43PP80JH6319YY | 44PP80JH6319YY | 1000 |
| | | POLYMAC™ | 04, 09, 48, 60, 63, 57 | I, M | | 43PM80J+##19YY | 44PM80J+##19YY | 1000 |
| | | POLYON™ | 04, 09, 60 | | G, V | 43PU80JV6319YY | 44PU80JV6319YY | 1400 |
| 43PU80J+##19YY | 44PU80J+##19YY | | | | | | | |



DURABLE SUPERIOR CASTERS®

43/44 – MEDIUM HEAVY DUTY SERIES – 1, 500LB

| Wheel Diameter | Thread Width | Wheel Type | Available Bearing Options | + Color | Replace + with a desired wheel color. Replace # with desired wheel bearing. | | Load Cap. |
|-----------------------|------------------------|-----------------------|--------------------------------|---------------------|--|------------------------|-----------|
| | | | | | 43 Series Swivel Part # | 44 Series Rigid Part # | |
| 8 | 2 | ENERGY SAVER POLYON™ | 04, 09, 60 | | 43SW80JU##19YY | 44SW80JU##19YY | 1500 |
| | | POLYFLEXON™ CAST | | | 43RP80JK6319YY | 44RP80JK6319YY | 1000 |
| | | POLYFLEXON™ | | N, O | 43UA80J+6419YY | 44UA80J+6419YY | 1200 |
| | | D-POLYON | | | 43UD80JL6419YY | 44UD80JL6419YY | 1200 |
| | | ULTRAFLEX™ | | | 43UX80JO6419YY | 44UX80JO6419YY | 1200 |
| | | CHAMPION | | | 43CP80JN6419YY | 44CP80JN6419YY | 1500 |
| | | DURALASTOMER™ | 09, 60, 63, 57 | | 43SU80JL##19YY | 44SU80JL##19YY | 1000 |
| | | SUPER ELASTOMER | | | 43EE80JI6019YY | 44EE80JI6019YY | 1250 |
| | | ERGOLASTOMER™ | 04, 09, 73, 64, 57 | | 43HU80JI##19YY | 44HU80JI##19YY | 1500 |
| | | SEMI-STEEL | 04, 09 | | 43SS80JS##19YY | 44SS80JS##19YY | 1400 |
| | | HEAVY DUTY IRON | 04, 09, 63 | | 43HS80JS##19YY | 44HS80JS##19YY | 1500 |
| | | DUCTILE | 04, 09, 63, 73, B1, B5 | | 43DS80JR##19YY | 44DS80JR##19YY | 1500 |
| | | ENERGY SAVER DUCTILE™ | 04, 09, B1, B5 | | 43CD80JR##19YY | 44CD80JR##19YY | 1500 |
| FORGED STEEL | 04, 09, 73, 63, B5, B1 | | 43FS80JS##19YY | 44FS80JS##19YY | 1500 | | |
| IRON V-GROOVE | 04, 09 | | 43VG80JT##19YY | 44VG80JT##19YY | 1200 | | |
| YOKE ONLY | | | | | 43ZZ81JZ8319YY | 44ZZ81JZ8319YY | |
| 8 | 2 | NEO-ENERGIZER™ | 04, 09, 60 | | 43EN81JB##19YY | 44EN81JB##19YY | 600 |
| | | NOMADIC™ | 04, 09, 48, 60, 57 | B, I | 43NM81J+##19YY | 44NM81J+##19YY | 700 |
| | | RUBBER ON NYLON | 04, 09, 48, 60, 57 | | 43NR81JB##19YY | 44NR81JB##19YY | 600 |
| | | DURA-CUSHION™ | 04, 09, 63 | X, Z | 43BC81J+##19YY | 44BC81J+##19YY | 450 |
| | | ECO-RUBBER | 53, P3 | | 43SN81UC##19YY | 44SN81UC##19YY | 450 |
| | | RUBBER ON ALUMINUM | 04, 09, 48, 60, 57 | | 43RA81JB##19YY | 44RA81JB##19YY | 600 |
| | | MOLD-ON RUBBER | 04, 09, 48, 60, 57 | | 43RS81JB##19YY | 44RS81JB##19YY | 600 |
| | | SUPREME RUBBER | 63, 73 | | 43RH81JS##19YY | 44RH81JS##19YY | 800 |
| | | THERMO-PRO™ | 04, 09, 60, 63, 48, 57 | A, I, T, X, Y, Z, | 43TP81J+##19YY | 44TP81J+##19YY | 600 |
| | | POLYOLEFIN | 04, 09, 60, 53, P3, 48, 57, 90 | B, E | 43PO81J+##19YY | 44PO81J+##19YY | 900 |
| | | NYLON | 04, 09, 60, 48, 57 | | 43NY81JE##19YY | 44NY81JE##19YY | 1100 |
| | | IRONMAN | 65, 73 | | 43NX81JB##19YY | 44NX81JB##19YY | 1500 |
| | | ROKHARD™ | 04, 09, 48, 60, 57 | | 43HI81JB##19YY | 44HI81JB##19YY | 1100 |
| | | BRIMSTONE® | 04, 09, 60, 90 | | 43GN81JQ##19YY | 44GN81JQ##19YY | 1200 |
| | | EPOXY | 04, 09, 90 | | 43OV81JQ##19YY | 44OV81JQ##19YY | 1200 |
| | | MAXROK™ | 04, 09, 48, 60, 57 | | 43MA81JB##19YY | 44MA81JB##19YY | 1400 |
| | | PHENOLIC | 04, 09, 60, 57 | | 43PH81JB##19YY | 44PH81JB##19YY | 1400 |
| | | HIGH-TEMP PHENOLIC | 04, 09, 60, 90 | | 43HT81JQ##19YY | 44HT81JQ##19YY | 1100 |
| | | POLY MAXROK™ | 04, 09, 48, 60, 57 | G, K | 43MU81J+##19YY | 44MU81J+##19YY | 1400 |
| | | POLYON AL™ | 04, 09, 48, 60, 57 | N, R | 43PA81J+##19YY | 44PA81J+##19YY | 1500 |
| | | DW-BLACK | | | 43DW81JLT319YY | 44DW81JLT319YY | 750 |
| | | DW-RED | | | 43DW81JRT319YY | 44DW81JRT319YY | 1100 |
| | | DW-BLUE | | | 43DW81JBT319YY | 44DW81JBT319YY | 1500 |
| | | DW-GRAY | | | 43DW81JGT319YY | 44DW81JGT319YY | 1500 |
| | | POLY-PRO™ | 04, 09, 48, 60, 63, 57 | C, D, I, K, M, U, W | 43PP81J+##19YY | 44PP81J+##19YY | 800 |
| | | | | | 43PP81JP4919YY | 44PP81JP4919YY | 900 |
| | | POLYADIC™ | 04, 09, 48, 60, 63, 57 | I, M | 43PP81JH6319YY | 44PP81JH6319YY | 1000 |
| | | | | | 43PM81J+##19YY | 44PM81J+##19YY | 1000 |
| | | POLYON™ | 04, 09, 60 | G, V | 43PU81JV6319YY | 44PU81JV6319YY | 1400 |
| | | | | | 43PU81J+##19YY | 44PU81J+##19YY | 1400 |
| | | ENERGY SAVER POLYON™ | 04, 09, 60 | | 43SW81JU##19YY | 44SW81JU##19YY | 1500 |
| | | POLYFLEXON™ CAST | | | 43RP81JK6319YY | 44RP81JK6319YY | 1000 |
| | | POLYFLEXON™ | | N, O | 43UA81J+6419YY | 44UA81J+6419YY | 1200 |
| D-POLYON | | | 43UD81JL6419YY | 44UD81JL6419YY | 1200 | | |
| ULTRAFLEX™ | | | 43UX81JO6419YY | 44UX81JO6419YY | 1200 | | |
| CHAMPION | | | 43CP81JN6419YY | 44CP81JN6419YY | 1500 | | |
| DURALASTOMER™ | 09, 60, 63, 57 | | 43SU81JL##19YY | 44SU81JL##19YY | 1000 | | |
| SUPER ELASTOMER | | | 43EE81JI6019YY | 44EE81JI6019YY | 1250 | | |
| ERGOLASTOMER™ | 04, 09, 73, 64, 57 | | 43HU81JI##19YY | 44HU81JI##19YY | 1500 | | |
| SEMI-STEEL | 04, 09 | | 43SS81JS##19YY | 44SS81JS##19YY | 1400 | | |
| HEAVY DUTY IRON | 04, 09, 63 | | 43HS81JS##19YY | 44HS81JS##19YY | 1500 | | |
| DUCTILE | 04, 09, 63, 73, B1, B5 | | 43DS81JR##19YY | 44DS81JR##19YY | 1500 | | |
| ENERGY SAVER DUCTILE™ | 04, 09, B1, B5 | | 43CD81JR##19YY | 44CD81JR##19YY | 1500 | | |
| FORGED STEEL | 04, 09, 73, 63, B5, B1 | | 43FS81JS##19YY | 44FS81JS##19YY | 1500 | | |
| IRON V-GROOVE | 04, 09 | | 43VG81JT##19YY | 44VG81JT##19YY | 1200 | | |
| 8 | 2-1/2 | MOLD-ON RUBBER | 06 | | 43RS80KB0619YY | 44RS80KB0619YY | 800 |
| | | NEO-ENERGIZER™ | 23 | | 43EN80KB2D19YY | 44EN80KB2D19YY | 1400 |
| | | PHENOLIC | 06 | | 43PH80KB0619YY | 44PH80KB0619YY | 1500 |
| | | POLYON™ | 06 | | 43PU80KV0619YY | 44PU80KV0619YY | 1500 |
| | | SEMI-STEEL | 06 | | 43SS80KS0619YY | 44SS80KS0619YY | 1500 |
| 10 | 2-1/2 | MOLD-ON RUBBER | 06 | | 43RS10KB0619YY | 44RS10KB0619YY | 1000 |
| | | PHENOLIC | 06 | | 43PH10KB0619YY | 44PH10KB0619YY | 1500 |
| | | POLYON™ | 06 | | 43PU10KV0619YY | 44PU10KV0619YY | 1500 |
| | | SEMI-STEEL | 06 | | 43SS10KS0619YY | 44SS10KS0619YY | 1500 |