



# 13 / 14 Light Medium Duty – Plate Mount Series

Durable Superior Casters®



**OEM Preferred Series**

This is Durable Superior Casters® most popular series of casters and in so being, offers the greatest value and availability. Because of industry demand, we mass produce this high quality caster at very competitive prices; likewise availability is always very good. This series features 3 of the most popular top plate sizes in the industry. Casters available with over 30 different wheel variations, colors, bearings and other featured options that offer increased functionality such as our highly effective Top Lock Brake (T) or a Zerk axle (Z) for bearing maintenance lubrication.

This series of casters is used in almost every industry requiring light medium duty casters, including; material handling carts, food service and food processing equipment, Institutional & laboratory equipment, moving dollies, stock trucks, retail displays and store fixtures, and many other various applications-too many to list.

- Double ball raceways offer improved swiveling action and durability.
- Standard Zinc plated finish is attractive and corrosion resistant.
- Fork and leg assembly designed and formed for maximum durability and long term service.
- Large selection of wheels & options to choose from.
- Economically priced for OEM high volume usage.
- 3/8" Axle & nut.
- Exceptional availability = quick deliveries.
- NSF Listed.



### Brake Options



### Cam Brake =C



### Tech Lock Pedal Brake (H)




### Top Lock Brake (T)

### Other Options

Thread Gaurds	G
High Temp Grease	K
Zerk Axle	Z

Spring Clip, Quick Change Plate. For use with 06 Plate. For more info, see page 143.




Part# CP06-01

### Plate Options (Replace \*\* in part number with desired Plate code)

Plate Code	Overall Size	Bolt Hole Pattern	Mounting Bolt Size
06	2-3/8 x 3-5/8	1-3/4 x 2-7/8 slotted to 3	5/16
	Plate features additional mounting holes for use on aluminum structural framing, modular carts & workstations. Two 5/16" holes centered at 3.22 (between other holes, long ways)		
11	3-1/8 x 4-1/8	1-3/4 x 2-15/16 to 2-3/8 x 3-3/8	3/8
17	4 x 4-1/2	2-5/8 x 3-5/8 to 3 x 3	3/8

# 13 / 14 Light Medium Duty – Plate Mount Series

## Durable Superior Casters®



Wheel Diameter	Tread Width	Wheel Type	Load Capacity	Bearing Type	Swivel Caster Part#	Rigid Caster Part#	+Color	Overall Height	Swivel Radius	Available Fasteners
2-1/2	1-1/4	Soft Rubber	175	Plain	13SR25GB82**YY	14SR25GB82**YY		3-1/2	2-9/16	06, 11, 17
		Thermo-Pro™	250	Ball	13TP25GB42**YY	14TP25GB42**YY				
		Polyolefin	250	Plain	13PO25GB82**YY	14PO25GB82**YY				
		Poly-Pro™	250	Ball	13PP25G+42**YY	14PP25G+42**YY	M, W			
		Hard Rubber	250	Plain	13HR25GB82**YY	14HR25GB82**YY				

3	1-1/4	Soft Rubber	175	Plain	13SR30GB82**YY	14SR30GB82**YY		4-1/8	3	06, 11, 17
		Soft Rubber	200	Ball	13SR30GB42**YY	14SR30GB42**YY				
		Nomadic	230	Annular	13NM30GI43**YY	14NM30GI43**YY				
		Thermo-Pro™	210	Ball	13TP30GI44**YY	14TP30GI44**YY				
		Thermo-Pro™	210	Ball	13TP30G+47**YY	14TP30G+47**YY	T, Y			
		Thermo-Pro™	210	Sleeve	13TP30G+90**YY	14TP30G+90**YY	T, Y			
		Poly-Pro™	250	Ball	13PP30G+42**YY	14PP30G+42**YY	A, K, W			
		Poly-Pro™	250	Ball	13PP30G+44**YY	14PP30G+44**YY	A, D, I, S, V			
		Poly-Pro™	250	Delrin	13PP30G+55**YY	14PP30G+55**YY	K, W			
		Poly-Pro™	250	Ball	13PP30G+47**YY	14PP30G+47**YY	T, Y, W			
		Poly-Pro™	250	Sleeve	13PP30G+90**YY	14PP30G+90**YY	T, Y			
		Polymadic™	260	Annular	13PM30GM43**YY	14PM30GM43**YY				
		DuraLastomer®	300	Sleeve	13SU30GL90**YY	14SU30GL90**YY				
		Polyon AL™	350	Annular	13PA30GL43**YY	14PA30GL43**YY				
		Hard Rubber	275	Ball	13HR30GB42**YY	14HR30GB42**YY				
		Hard Rubber	250	Plain	13HR30GB82**YY	14HR30GB82**YY				
		Polyolefin	250	Plain	13PO30G+82**YY	14PO30G+82**YY	B, Z			
		Polyolefin	300	Sleeve	13PO30G+90**YY	14PO30G+90**YY	J, Z			
		Polyolefin	300	Ball	13PO30GZ42**YY	14PO30GZ42**YY				
		H.D Polyolefin	300	Plain	13HP30G+82**YY	14HP30G+82**YY	B, E			
		Nylon	300	Plain	13NY30GE82**YY	14NY30GE82**YY				
Nylon	300	Ball	13NY30GE42**YY	14NY30GE42**YY						
Phenolic	300	Top Hats	13PH30GB99**YY	14PH30GB99**YY						
Phenolic	350	Roller	13PH30HB03**YY	14PH30HB03**YY						
H.T. Phenolic	200	Top Hats	13HT30GQ99**YY	14HT30GQ99**YY						
BrimStone®	350	Top Hats	13GN30GQ99**YY	14GN30GQ99**YY						
Semi-Steel	300	Plain	13SS30GS82**YY	14SS30GS82**YY						
Sintered Iron	300	Plain	13SI30GS82**YY	14SI30GS82**YY						
V-Groove	300	Plain	13VG30GT82**YY	14VG30GT82**YY						
1-1/2	Phenolic	350	Sleeve	13PH30HB90**YY	14PH30HB90**YY					

3-1/2	1-1/4	Soft Rubber	200	Plain	13SR35GB82**YY	14SR35GB82**YY		4-5/8	3-1/16	06, 11, 17
		Rubber / Aluminum	250	Annular	13RA35GI43**YY	14RA35GI43**YY				
		Nomadic™	250	Annular	13NM35GI43**YY	14NM35GI43**YY				
		Thermo-Pro™	230	Ball	13TP35GI44**YY	14TP35GI44**YY				
		Thermo-Pro™	230	Ball	13TP35G+47**YY	14TP35G+47**YY	T, Y			
		Thermo-Pro™	230	Sleeve	13TP35G+90**YY	14TP35G+90**YY	T, Y			
		Poly-Pro™	250	Ball	13PP35G+42**YY	14PP35G+42**YY	A, I, K, W			
		Poly-Pro™	250	Ball	13PP35G+44**YY	14PP35G+44**YY	A, D, I, K, S, V			
		Poly-Pro™	250	Delrin	13PP35G+55**YY	14PP35G+55**YY	K, W			
		Poly-Pro™	250	Ball	13PP35G+47**YY	14PP35G+47**YY	T, W, Y			
		Poly-Pro™	250	Sleeve	13PP35G+90**YY	14PP35G+90**YY	T, Y			
		Polymadic™	270	Annular	13PM35GM43**YY	14PM35GM43**YY				
		Polyon AL™	350	Annular	13PA35GL43**YY	14PA35GL43**YY				
		Hard Rubber	285	Plain	13HR35GB82**YY	14HR35GB82**YY				
Polyolefin	300	Plain	13PO35G+82**YY	14PO35G+82**YY	B, Z					
Polyolefin	300	Sleeve	13PO35GJ90**YY	14PO35GJ90**YY						
Phenolic	350	Top Hats	13PH35GB99**YY	14PH35GB99**YY						



# 13 / 14 Light Medium Duty – Plate Mount Series

Durable Superior Casters®

Wheel Diameter	Tread Width	Wheel Type	Load Capacity	Bearing Type	Swivel Caster Part#	Rigid Caster Part#	+Color	Overall Height	Swivel Radius	Available Fasteners
4	1-1/4	Soft Rubber	220	Plain	13SR40GB82**YY	14SR40GB82**YY		5-1/4	3-1/2	06, 11, 17
		Soft Rubber	245	Ball	13SR40GB42**YY	14SR40GB42**YY				
		Rubber / Aluminum	250	Annular	13RA40GI43**YY	14RA40GI43**YY				
		Nomadic™	260	Annular	13NM40GI43**YY	14NM40GI43**YY				
		Thermo-Pro™	250	Ball	13TP40GI44**YY	14TP40GI44**YY				
		Thermo-Pro™	250	Ball	13TP40G+47**YY	14TP40G+47**YY	T,Y			
		Thermo-Pro™	250	Sleeve	13TP40G+90**YY	14TP40G+90**YY	T,Y			
		Poly-Pro™	300	Ball	13PP40G+42**YY	14PP40G+42**YY	A,D,I,K,R,W			
		Poly-Pro™	300	Ball	13PP40G+44**YY	14PP40G+44**YY	A,D,I,S,V			
		Poly-Pro™	300	Delrin	13PP40G+55**YY	14PP40G+55**YY	K,W			
		Poly-Pro™	300	Ball	13PP40GP42**YY	14PP40GP42**YY				
		Poly-Pro™	300	Ball	13PP40G+47**YY	14PP40G+47**YY	T,W,Y			
		Poly-Pro™	300	Sleeve	13PP40G+90**YY	14PP40G+90**YY	T,Y			
		Polymadic™	325	Annular	13PM40GM43**YY	14PM40GM43**YY				
		DuraLastomer®	350	Sleeve	13SU40GL90**YY	14SU40GL90**YY				
		Polyon AL™	350	Annular	13PA40GL43**YY	14PA40GL43**YY				
		Hard Rubber	300	Plain	13HR40GB82**YY	14HR40GB82**YY				
		Hard Rubber	325	Ball	13HR40GB42**YY	14HR40GB42**YY				
		Polyolefin	300	Plain	13PO40G+82**YY	14PO40G+82**YY	B,Z			
		Polyolefin	350	Sleeve	13PO40G+90**YY	14PO40G+90**YY	J,Z			
		Polyolefin	350	Ball	13PO40GZ42**YY	14PO40GZ42**YY				
	H.D Polyolefin	350	Plain	13HP40G+82**YY	14HP40G+82**YY	B,E,Z				
	Nylon	350	Sleeve	13NY40GE90**YY	14NY40GE90**YY					
	Nylon	350	Ball	13NY40GE42**YY	14NY40GE42**YY					
	Phenolic	350	Top Hats	13PH40GB99**YY	14PH40GB99**YY					
	H.T. Phenolic	200	Top Hats	13HT40GQ99**YY	14HT40GQ99**YY					
	BrimStone®	300	Top Hats	13GN40GQ99**YY	14GN40GQ99**YY					
	SteROLLizer® AL	200	Top Hats	13BF40GC99**YZ	14BF40GC99**YY					
	Semi-Steel	300	Plain	13SS40GS82**YY	14SS40GS82**YY					
	Semi-Steel	300	Sleeve	13SS40GS90**YY	14SS40GS90**YY					
	1-1/2	Polyon™	350	Roller	13PU40H+03**YZ	14PU40H+03**YZ	G,V			
		Polyon AL™	350	Roller	13PA40H+03**YZ	14PA40H+03**YZ	N,R			
Polyolefin		350	Roller	13PO40HB03**YZ	14PO40HB03**YZ					
Phenolic		350	Sleeve	13PH40HB90**YY	14PH40HB90**YY					
Phenolic		350	Roller	13PH40HB03**YZ	14PH40HB03**YZ					
H.T. Phenolic		350	Sleeve	13HT40HQ90**YY	14HT40HQ90**YY					
BrimStone®		350	Sleeve	13GN40HQ90**YY	14GN40HQ90**YY					
SteROLLizer® AL		250	Precision BB	13BF40HC62**YY	14BF40HC62**YY					
5	1-1/4	Soft Rubber	250	Plain	13SR50GB82**YY	14SR50GB82**YY		6-1/16	4	06, 11, 17
		Soft Rubber	275	Ball	13SR50GB42**YY	14SR50GB42**YY				
		Rubber / Aluminum	270	Annular	13RA50GI43**YY	14RA50GI43**YY				
		Nomadic™	325	Ball	13NM50GI43**YY	14NM50GI43**YY				
		Thermo-Pro™	300	Ball	13TP50GI44**YY	14TP50GI44**YY				
		Thermo-Pro™	300	Ball	13TP50G+47**YY	14TP50G+47**YY	T,Y			
		Thermo-Pro™	300	Sleeve	13TP50G+90**YY	14TP50G+90**YY	T,Y			
		Poly-Pro™	300	Ball	13PP50G+42**YY	14PP50G+42**YY	A,D,I,K,R,W			
		Poly-Pro™	300	Ball	13PP50G+44**YY	14PP50G+44**YY	A,D,I,S,V			
		Poly-Pro™	300	Delrin	13PP50G+55**YY	14PP50G+55**YY	K,W			
		Poly-Pro™	300	Ball	13PP50GP42**YY	14PP50GP42**YY				
		Poly-Pro™	300	Ball	13PP50G+47**YY	14PP50G+47**YY	T,W,Y			
		Poly-Pro™	300	Sleeve	13PP50G+90**YY	14PP50G+90**YY	T,Y			
		Polymadic™	340	Annular	13PM50GM43**YY	14PM50GM43**YY				
		DuraLastomer®	350	Sleeve	13SU50GL90**YY	14SU50GL90**YY				
		Polyon AL™	350	Annular	13PA50GL43**YY	14PA50GL43**YY				
		Hard Rubber	325	Plain	13HR50GB82**YY	14HR50GB82**YY				
		Hard Rubber	350	Ball	13HR50GB42**YY	14HR50GB42**YY				
		Polyolefin	350	Plain	13PO50G+82**YY	14PO50G+82**YY				
		Polyolefin	350	Sleeve	13PO50G+90**YY	14PO50G+90**YY	J,Z			
		Polyolefin	350	Ball	13PO50GZ42**YY	14PO50GZ42**YY				
	H.D Polyolefin	350	Plain	13HP50G+82**YY	14HP50G+82**YY	B,E				
	Nylon	350	Sleeve	13NY50GE90**YY	14NY50GE90**YY					
	Nylon	350	Ball	13NY50GE42**YY	14NY50GE42**YY					
	Phenolic	350	Top Hats	13PH50GB99**YY	14PH50GB99**YY					
	H.T. Phenolic	300	Top Hats	13HT50GQ99**YY	14HT50GQ99**YY					
	BrimStone®	350	Top Hats	13GN50GQ99**YY	14GN50GQ99**YY					
	Semi-Steel	350	Plain	13SS50GS82**YY	14SS50GS82**YY					
	Semi-Steel	350	Sleeve	13SS50GS90**YY	14SS50GS90**YY					
	1-1/2	Polyon™	350	Roller	13PU50H+03**YY	14PU50H+03**YY	G,V			
		Polyon AL™	350	Roller	13PA40H+03**YZ	14PA40H+03**YZ	N,R			
		Polyolefin	350	Roller	13PO50HB03**YZ	14PO50HB03**YZ				
Phenolic		350	Roller	13PH50HB03**YZ	14PH50HB03**YZ					
6	1-1/4	Poly-Pro™	300	Ball	13PP60G+44**YY	14PP60G+44**YY	A,I	7-3/8	4-9/16	06, 11, 17
		Poly-Pro™	300	Delrin	13PP60G+55**YY	14PP60G+55**YY	A,K,W			
		Poly-Pro™	300	Ball	13PP60G+47**YY	14PP60G+47**YY	T,Y			
		Poly-Pro™	300	Sleve	13PP60G+90**YY	14PP60G+90**YY	T,Y			
		Thermo-Pro™	300	Ball	13TP60GI44**YY	14TP60GI44**YY				
		Thermo-Pro™	300	Ball	13TP60G+47**YY	14TP60G+47**YY	T,Y			
6-1/4	1-1/4	Thermo-Pro™	300	Sleve	13TP60G+90**YY	14TP60G+90**YY	T,Y	7-5/8	4-11/16	
		Cushion-Ride™	200	Ball	13CR60G+42**YY	14CR60G+42**YY	A,I			